

National Audubon Society
Native Plants List - Central Florida
Compiled by Neta Villalobos-Bell for Cuplet Fern Chapter, Florida Native Plant Society

Plant name	Scientific Name	Plant Descriptions Courtesy of Cuplet Fern Chapter, FNPS	May attract
American Beauty-Berry	<i>Callicarpa americana</i>	FALL BERRIES. BEEN 4-8', DECIDUOUS, ADAPTABLE SOIL, SUN-SHADE, PRUNE BACK OR GETS LEGGY.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Mockingbirds & Thrashers, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
American Holly	<i>Ilex opaca</i>	ALL HOLLIES HAVE SEPARATE MALE/FEMALE PLANTS, NEED BOTH TO MAKE BERRIES. 30-50', EVERGREEN, WELL-DRAINED SOIL, SUN – SHADE.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Mockingbirds & Thrashers, Nuthatches, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Blood Sage Tropical Sage	<i>Salvia coccinea</i>	RESEEDS PROFUSELY, PERIENNAL, PINCH BACK DEAD STEMS, ADAPTABLE SOIL, FULL SUN-DAPPLED SHADE.	Hummingbirds
Common Buttonbush	<i>Cephalanthus occidentalis</i>	WETLAND PLANT, BEES AND OTHER POLLINATORS, MAYBE SEEDS FOR BIRDS, CAN COLONIZE. MAYBE USE BY A RETENTION POND. 6-20', DECIDUOUS, WET SOILS, SUN-PART SHADE.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
Dahoon Holly Yaupon Holly	<i>Ilex cassine</i> <i>Ilex vomitoria</i>	ALL HOLLIES HAVE SEPARATE MALE/FEMALE PLANTS, NEED BOTH TO MAKE BERRIES. DAHOON – 20-30', EVERGREEN, MOIST SOIL, FULL SUN-PART SHADE. YAUPON – 8-25', EVERGREEN, ADAPTABLE SOIL, SHADE – PART SUN.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Mockingbirds & Thrashers, Nuthatches, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Red Buckeye	<i>Aesculus pavia</i>	BOTH LEAVES AND FRUIT POISONOUS, CAUTION IF CHILDREN IN YARD, SUMMER DECIDUOUS, 25-30', ADAPTABLE SOIL, FULL SUN – PART SHADE.	Cardinals & Grosbeaks, Chickadees & Titmice, Hummingbirds, Nuthatches, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Coral Bean Cherokee Bean	<i>Erythrina herbacea</i>	POISONOUS SEEDS, VERY SHARP SPINES, 3-20', DECIDUOUS, ADAPTABLE SOIL, FULL SUN-PART SHADE.	Hummingbirds, Nuthatches, Woodpeckers
Wild Coffee Shiny-leafed Coffee	<i>Psychotria nervosa</i>	BERRIES FALL AND WINTER , FOR IN THE BOOKS - SOUTH FLORIDA PLANT SO CAN FREEZE BACK BUT COMES BACK, 5-15', EVERGREEN, ADAPTABLE SOIL, BEST IN PART SHADE – SHADE, HAVE THIS ONE, GREAT FOR POLLINATORS	Crows & Jays, Mockingbirds & Thrashers, Nuthatches, Orioles, Thrushes, Waxwings, Woodpeckers, Cardinals, Blue Jays, Catbirds
Southern Bayberry, Wax Mrytle	<i>Morella cerifera</i> <i>Myrica cerifera</i>	DOESN'T LIKE TO BE PRUNED, SPREADS BY ROOT SUCKERS AND CAN FORM COLONIES, SEPARATE MALE AND FEMALE PLANTS, 4-20', IT DROPS LEAVES IN WINTER, SEMI-DECIDUOUS, MOIST SOIL, SUN-PART SHADE	Crows & Jays, Mockingbirds & Thrashers, Nuthatches, Orioles, Thrushes, Waxwings, Woodpeckers

National Audubon Society
Native Plants List - Central Florida
Compiled by Neta Villalobos-Bell for Cuplet Fern Chapter, Florida Native Plant Society

Sweet-Bay	<i>Magnolia virginiana</i>	LARVAL FOOD FOR EASTERN SWALLOWTAIL, 25-60', EVERGREEN, PREFERS WET-MOIST SOIL, FULL SUN-SHADE.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Mockingbirds & Thrashers, Nuthatches, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Winged Sumac	<i>Rhus copallinum</i>	FALL FRUIT, SPREADS BY ROOT SUCKERS, AGGRESSIVE, 10-25', DECIDUOUS, SANDY SOIL, FULL SUN	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Cedar Waxwings, Robins
Yellow Jessamine	<i>Gelsemium sempervirens</i>	A VINE. IT CAN BE WEEDY, GROWS TO THE TOP OF TREES AND SHRUBS FOR THE MOST SUN POSSIBLE, THERE IS A DOUBLE-FLOWERED CULTIVAR CALLED, ALL PARTS OF THE PLANT ARE POISONOUS AND IT CAN BE FATAL IF EATEN, TO 20', EVERGREEN, YELLOW TRUMPET FLOWERS IN WINTER TO SPRING, PREFERS MOIST, WELL DRAINED ACID SOILS.	Hummingbirds
American Pokeweed, Inkberry, Pigeon Berry, Poke Salad	<i>Phytolacca americana</i>	ROOTS AND SEEDS ARE POISONOUS, THE STEMS THAT GROW FROM THE TUBER LIKE-STRUCTURE, DIE DOWN IN WINTER. THE YOUNG, ASPARAGUS-LIKE SHOOTS ARE FORMED IN SPRING AND CAN BE GROWN FROM LIFTED ROOTS DUG IN THE WINTER. TO 10' OR MORE	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Mockingbirds & Thrashers, Orioles, Sparrows, Thrushes, Waxwings
Anise-Scented Goldenrod, Sweet Goldenrod, Chapman's Goldenrod	<i>Solidago odora</i> , <i>Solidagoodora</i> <i>Chapmanii</i>	CLUMP GROWER, RESEEDS, FLOWER STALKS 3-4', ADAPTABLE SOIL, SUN – SHADE	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
Azure-Blue Sage, Skyblue Salvia	<i>Salvia azurea</i>	5-7' FALL BLOOMING STALKS, VERY LANKY. SKYBLUE SALVIA HAS LITTLE BASAL FOLIAGE AND FEW LEAVES UP THE MAIN STEM, IT TENDS TO BEND OVER WITH WEIGHT OF OPEN FLOWERS. SANDY, SOIL, FULL SUN. NOT RECOMMENDED. RARELY FOUND IN NATIVE NURSERIES.	HUMMINGBIRDS
Black-Eyed-Susan	<i>Rudbeckia hirta</i>	2 VARIETIES IN FLORIDA, NORTH FL - VAR. <i>ANGUSTIFOLIA</i> , CENTRAL AND SOUTH – <i>FLORIDANA</i> , 2' SUMMER – FALL BLOOM STALK, RESEEDS PROLIFICALLY, DECIDUOUS, AVERAGE SOIL, FULL SUN. RECOMMEND TO USE <i>FLORIDANA</i> , MIX WITH OTHER WILDFLOWERS.	Cardinals & Grosbeaks, Chickadees & Titmice, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens

National Audubon Society
Native Plants List - Central Florida
Compiled by Neta Villalobos-Bell for Cuplet Fern Chapter, Florida Native Plant Society

Butterfly Milkweed	<i>Asclepias tuberosa</i>	CAN BE TEMPERAMENTAL, GIVE IT 3 YEARS TO PROVE IT'S WORTHY, TRY PLANTING IN A COUPLE DIFFERENT SPOTS TO SEE WHERE IT GROWS BEST, HAS A TAPROOT, SUMMER – FALL 2' BLOOM STALKS, ANNUAL, DECIDUOUS, ADAPTABLE SOIL, FULL SUN. RECOMMENDED. MIX WITH OTHER WILDFLOWERS.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Hummingbirds, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
Cardinal-Flower	<i>Lobelia cardinalis</i>	WETLANDS PLANT, WET-MOIST SOIL, FULL SUN-PART SHADE, SOMETIMES DIE AFTER BLOOMING, MAYBE USE BY RETENTION POND OR LAKE	Cardinals & Grosbeaks, Chickadees & Titmice, Hummingbirds, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
Farewell-Summer	<i>Symphyotrichum lateriflorum</i>	AKA CALICO FLOWER NOT AVAILABLE AT ANY NATIVE NURSERIES IN FLORIDA	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
Jack-in-the-Pulpit	<i>Arisaema triphyllum</i>	SUMMER BLOOMING, MOIST SOIL, SHADE, POISONOUS NOT AVAILABLE AT ANY NATIVE NURSERIES IN FLORIDA	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Sparrows
Purple Passion-Flower	<i>Passiflora incarnata</i>	VINE 3-12' LARVAL FOOD FOR GULF FRITILLARY AND ZEBRA HELICONIA, AGGRESSIVE, POPS UP EVERYWHERE, DECIDUOUS, ADAPTABLE, FULL SUN-PART SHADE	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Sparrows
Whorled Milkweed	<i>Asclepias verticillata</i>	WELL-DRAINED SANDY SOIL, FULL SUN, TINY PLANT ONLY 30' TALL, WINTER DECIDUOUS, ONLY ONE NATIVE NURSERY SELLS IT, NOT RECOMMENDED	Cardinals & Grosbeaks, Chickadees & Titmice, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
Eastern Mock Grama, Fakahatchee Grass, Eastern Gamagrass	<i>Tripsacum dactyloides</i>	5-6' FLOWER AND SEED SPIKES SPRING TO FALL WITH CONCEALED GRAINS, MOIST SOIL, FULL SUN-PART SHADE,	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Sparrows
Crossvine	<i>Bignonia capreolata</i>	TO 50' HIGH CLIMBING WOODY VINE, FAST GROWING AND HARD TO CONTROL, ADAPTABLE SOIL, SUN-SHADE. RECOMMENDED FOR TRELIS AND FENCES. NEEDS MAINTENANCE.	Hummingbirds

National Audubon Society
Native Plants List - Central Florida
Compiled by Neta Villalobos-Bell for Cuplet Fern Chapter, Florida Native Plant Society

Trumpet Honeysuckle Coral Honeysuckle	<i>Lonicera sempervirens</i>	TO 15' VINE, CAN SPREAD BY STEMS LYING ON THE GROUND, NEED TO TIE UP STEMS TO A TRELIS. SEMI-DECIDUOUS, ADAPTABLE SOIL, WELL-DRAINED BEST, FULL SUN –PART SHADE.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Hummingbirds, Mockingbirds & Thrashers, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
Trumpet-Creeper, Trumpet Vine	<i>Campsis radicans</i>	TO 30', ORANGE FLOWERS, RAPID GROWTH MAKES TRAINING EASY, BUT REGULAR PINCHING AND PRUNING IS REQUIRED TO ESTABLISH THIS VINE ON A STRUCTURE. THE INVASIVE NATURE OF THE PLANT MAKES IT HARD TO GET RID OF ONCE IT IS ESTABLISHED IN THE YARD. ANTS OFTEN LIVE ON TRUMPET VINE AND ARE SOMETIMES FOUND OBJECTIONABLE BY GARDENERS. ADAPTABLE SOIL, FLOWERS BEST IN SUN, BUT GROWS IN PART SHADE TOO	Cardinals & Grosbeaks, Chickadees & Titmice, Hummingbirds, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
Virginia-Creeper, Woodbine	<i>Parthenocissus quinquefolia</i>	TO 40' DECIDUOUS VINE, FAST GROWER USING TENDRILS AND ADHESIVE DISKS, SEEDS GERMINATE READILY, OFTEN BECOMES WEEDY SMOTHERING OTHER PLANTS, ADAPTABLE SOIL, SHADE TO PART SUN.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Mockingbirds & Thrashers, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Wrens
American Hornbeam, Blue Beech, Musclewood	<i>Carpinus caroliniana</i>	LARVAL FOOD FOR TIGER SWALLOWTAIL AND RED-SPOTTED PURPLE, MALE AND FEMALE IN SEPARATE CATKINS, GOOD NESTING FOR SMALL TO MEDIUM BIRDS, GOOD SEED CROP PRODUCED EVERY 3-5 YEARS, 30'TREE, PREFERS RICH MOIST SOIL, SHADE TO PART SHADE	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Nuthatches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Common Persimmon	<i>Diospyros virginiana</i>	FAST GROWING , MOSTLY DIOECIOUS, BOOK SAYS FRUIT TOO LARGE FOR BIRDS, OTHER WILDLIFE EATS IT, FRUIT DROP CAN BE MESSY, LARGE TAPROOT, TREE 40-60', DECIDUOUS, PREFERS MOIST WELL-DRAINED, SUN.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Mockingbirds & Thrashers, Nuthatches, Orioles, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Live Oak	<i>Quercus virginiana</i>	NESTING COVER FOR ORIOLES, PAINTED BUNTINGS, NORTHERN PARULA, WARBLERS, ACORNS EVERY 3-5 YEARS, TO 80' TREE, ADAPTABLE SOIL, FULL SUN. IF ONE HAS THE SPACE, PLANT IT	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Nuthatches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Long-Leaf Pine	<i>Pinus palustris</i>	VARIETY OF HABITATS, SEEDS IMPORTANT WILDLIFE SOURCE IN FALL, FLAKY BARK GOOD FOR INSECT EATING BIRDS, HOST PLANT FOR MOTHS, NESTING BIRDS EAT THE LARVAE, TREE TO 120', PREFERS SANDY SOIL, FULL SUN.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Nuthatches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens

National Audubon Society
Native Plants List - Central Florida
Compiled by Neta Villalobos-Bell for Cuplet Fern Chapter, Florida Native Plant Society

Red Maple	<i>Acer rubrum</i>	SEEDS IN SPRING, MOST DIOECIOUS BUT SOME MONOECIOUS WITH BISEXUAL FLOWERS, FOLIAGE AND TWIGS GET LEAFHOPPERS, IF NOT ENOUGH WATER, THE ROOTS WILL GROW SURFICIAL ROOTS LOOKING FOR A WATER SOURCE, TREE TO 60', PREFERS WET TO MOIST SOIL, BEST IN DAPPLED SHADE, TOLERATES FULL SUN.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Nuthatches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Southern Bald-Cypress	<i>Taxodium distichum</i>	DIOECIOUS, TYPICALLY NO KNEES IF NOT IN SATURATED AREAS, CONES ON FEMALE TREES SEEDS EATEN BY SOME BIRDS AND SMALL MAMMALS, BUT GOOD SEED PRODUCTION EVERY 3-4 YEARS, MESSY NEEDLE DROP, TREE 50-80', DECIDUOUS, PREFERS WET TO MOIST, FULL SUN, TOLERATES SHADE.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Nuthatches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Sweet-Gum	<i>Liquidambar styraciflua</i>	NOT ESPECIALLY IMPORTANT WILDLIFE PLANT, HARD SEEDS IN VERY SPINY SEED BALLS, HAVE MINIMAL VALUE FOR BIRDS AND SMALL MAMMALS, MONOECIOUS, FOLIAGE EATEN BY INSECTS THAT IS FOOD FOR SOME BIRDS, LARVAL FOOD FOR LUNA MOTH, TREE TO 120', DECIDUOUS, ADAPTABLE SOIL BUT PREFERS MOIST, ACID.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Nuthatches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Tuliptree, Tulip Poplar	<i>Liriodendron tulipifera</i>	FRUITING TREES WITH NUMEROUS SEEDS IN FALL EATEN BY BIRDS AND OTHER MAMMALS, TREE TO 100', DECIDUOUS, PREFERS MOIST WELL-DRAINED SOIL, FULL SUN- PART SHADE.	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Hummingbirds, Nuthatches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Water Oak	<i>Quercus nigra</i>	GOOD ACORN PRODUCTION EVERY 1-2 YEAR, INVADES DISTURBED AREAS, OFTEN CONSIDERED WEEDY, TREE TO 60', SEMI-DECIDUOUS, MOIST SOIL BUT ADAPTABLE, FULL SUN – PART SHADE	Cardinals & Grosbeaks, Chickadees & Titmice, Crows & Jays, Finches, Nuthatches, Orioles, Sparrows, Thrushes, Vireos, Waxwings, Wood Warblers, Woodpeckers, Wrens
Turkey Oak	<i>Quercus laevis</i>	FAST GROWING, SMALL CROWN 10-15', HAS A TAP ROOT, 30-40' DECIDUOUS, SANDY SOIL, FULL SUN. IF THE YARD HAS SPACE, IS A GOOD TREE.	

National Audubon Society
Native Plants List - Central Florida
Compiled by Neta Villalobos-Bell for Cuplet Fern Chapter, Florida Native Plant Society

Myrtle Oak	<i>Quercus myrtifolia</i>	LARVAL FOOD FOR HORACE'S DUSKYWING BUTTERFLY, SPREAD BY UNDERGROUND STEMS FORMING THICKETS, 6-30', EVERGREEN, SANDY DRY SOIL, FULL SUN. NOT RECOMMENDED FOR SUBURBAN YARD BECAUSE IT COLONIZES.	
Cabbage Palm, Sabal Palm	<i>Sabal palmetto</i>	FRUIT EATEN BY WILDLIFE, DENSE CROWN FOR NESTING, 50-90', EVERGREEN, ADAPTABLE SOIL, FULL SUN BEST.	
Simpson's Stopper	<i>Myrcianthes fragrans</i>	RED BERRIES IN FALL FOR BIRDS, 15-25', SEMI-DECIDUOUS, SPREADS FROM UNDERGROUND STEMS, ADAPTABLE TO WELL-DRAINED SOIL, HIGH pH, FULL SUN – SHADE. RECOMMENDED BUT KNOW IT SUCKERS	
Scrub Palmetto	<i>Sabal etonia</i>	BLUISH-BLACK BERRIES SUMMER TO FALL, 4-6', EVERGREEN, WELL-DRAINED SANDS, FULL SUN.	
Saw Palmetto	<i>Serenoa repens</i>	INSECTS USE IT AS FOOD AND/OR COVER, OVERGROWN THICKETS A FIRE HAZARD, KEEP PRUNED, CAN PRUNE EVEN THE TOP AND IT WILL GROW BACK UNLIKE OTHER PALMS, 3-20', EVERGREEN, SANDY-LOAM, SUN-PART SUN. RECOMMENDED.	
Small-fruited Pawpaw, Small-flowered PawPaw	<i>Asimina parviflora</i>	LARVAL FOOD FOR ZEBRA SWALLOWTAIL, HARD TO ESTABLISH, LONG TAP ROOT, OBTAIN FROM SPECIALTY NURSERY, SPECIAL PLANTING REQUIREMENTS, 5-20', DECIDUOUS, WELL-DRAINED MOIST SOILS, PART SUN – PART SHADE. RECOMMENDED IF PATIENT TO ESTABLISH IT	
Gallberry, Inkberry	<i>Ilex glabra</i>	DIOECIOUS, COLONIAL-SPREADS BY UNDERGROUND STEMS, SMALL HARD DRUPE SUMMER-FALL, 3-7', EVERGREEN, MOIST – WET SOIL, FULL SUN – SHADE. NOT RECOMMENDED UNLESS KNOW THAT IT SUCKERS.	

National Audubon Society
 Native Plants List - Central Florida
 Compiled by Neta Villalobos-Bell for Cuplet Fern Chapter, Florida Native Plant Society

Spicebush	<i>Lindera benzoin</i>	LARVAL FOOD FOR SPICEBUSH SWALLOWTAIL BUTTERFLY, SUSCEPTIBLE TO THE AMBROSIA BEETLE THAT PREDATE ON RED BAYS WHICH LEADS TO LAUREL WILT, FALL RED BERRIES, 6-12', DECIDUOUS, SANDY TO MUCK, HIGH pH, SHADE.	
Needle Palm	<i>Rhapidophyllum hystrix</i>	TRUNK COVERED WITH REALLY SHARP NEEDLES, TINY FRUIT AMONG NEEDLES AND FIBERS, SLOW GROWER, 3-8', EVERGREEN, MOIST SOIL, SHADE – PART SHADE.	
Dwarf Palmetto	<i>Sabal minor</i>	SMALL FRUIT CONSPICUOUS IN FALL FOR WILDLIFE, 4-9', EVERGREEN, ADAPTABLE SOIL, PART SUN – SHADE.	
Possum Haw Viburnum	<i>Viburnum nudum</i>	THERE IS ALSO A POSSUM-HAW <i>ILEX DECIDUA</i> , BIRDS EAT THE FRUIT, 20' DECIDUOUS, WET SOIL, PART SHADE-SHADE.	
Walter's Viburnum	<i>Viburnum obovatum</i>	SEMI-DECIDUOUS, TINY FLOWERS GOOD POLLINATORS, PROVIDES GOOD NESTING AND COVER, FRUIT IN SUMMER, 8-25', SEMI-DECIDUOUS, PREFERS MOIST, SHADE TO SUN. RECOMMENDED IF KNOW THAT IT SUCKERS.	



Cuplet Fern Chapter, Florida Native Plant Chapter
www.cupletfern.fnpschapters.org